



JANOSIK
metal shingle

Realization Catalogue



TRADITION




MODERNITY

JANOSIK metal shingle has been registered with the Patent Office of Poland, entry no. 21388,
and the Office for Harmonization in the Internal Market with entry no. 002521567-0001.



TECHNICAL PARAMETERS

Overall width	~1222 mm
Effective coverage width	1180 mm
Thickness of the finished product (steel)	0,5 mm
Tile rib height	35 mm
Module length	380 mm
Profile height	6 mm



scan the QR code to view a 3D model



THE JANOSIK METAL SHINGLE

The JANOSIK metal shingle is an innovative product with a unique design. Its shape, texture and composition are an accurate reflection of the wooden shingle. This effect has been achieved thanks to innovative technological solutions of our machinery park and the developing of the basic material PLADUR Relief Wood. The PLADUR Relief WOOD coat, designed in resemblance of wood, imitates perfectly its texture and provides a unique visual appearance. High-quality German steel is acquired for the production of Janosik from a renowned steel mill thyssenkrupp Steel Europe, a leader of the global market. Thanks to the securing of the steel core with a mix of zinc and magnesium, metal sheet has a greater durability, and its lifespan has been prolonged.



TRADITIONAL WOODEN LOOK IN STEEL FORM

The amazing aesthetic experience is a result of enriching the material by an addition of a texture and varnish coats. The exceptional durability of the varnish coat is guaranteed by the minimum of 36 microns. The JANOSIK metal shingle is resistant to corrosion, abrasion, dirt and UV radiation. Thanks to the low profile, the coverage width is larger, which improves the product economics. The JANOSIK metal shingle is easy and simple to install due to the possibility of adding modules from both sides, in a brick pattern. The JANOSIK metal shingle has been registered with the Patent Office of Poland, entry no. 21388, and the Office for Harmonization in the Internal Market with entry no. 002521567-0001.



thyssenkrupp



Scan the QR code
to view a 3D model

REALIZATION: RABKA-ZDROJ










Scan the QR code
to view a 3D model

REALIZATION: KOSCIELISKO









Scan the QR code
to view a 3D model

REALIZATION: NAKLO










Scan the QR code
to view a 3D model

REALIZATION: BIALKA









Scan the QR code
to view a 3D model

REALIZATION: TRZESN







ADVANTAGES METAL SHINGLE JANOSIK

**UP TO 45 YEARS
WARRANTY**



WOOD STRUCTURE

The design being an exact reflection of the structure of wood does not require such a level of maintenance and impregnation as a real wooden shingle.



GERMAN STEEL

The product is made of the highest-quality German steel, supplied by the reputable thyssenkrupp steel mill – the world leader in the sector.



LIGHTNESS

Shingle-like roofing sheets fit perfectly with the original style of the Zakopane region and modern architecture concepts, adding to the aesthetic value of the roof. Undoubtedly, their value lies also in their lightness.



EXCEPTIONAL COAT

The exceptional PLADUR Relief WOOD coat, to which BLACHOTRAPEZ has exclusive rights. Its characteristic features are: increased resistance to corrosion, scratching and abrasion

**INNOVATIVE
DESIGN**





Scan the QR code
to view a 3D model

REALIZACJA: KOSCIELISKO










Scan the QR code
to view a 3D model

REALIZATION: GOZDOW









Scan the QR code
to view a 3D model

REALIZATION: CEDROWICE










GRAŃ RIDGE TILE

This finish element is designed in such a way, that it fits JANOSIK as well as it is possible. Its perfect shape is in perfect harmony with the form of the shingle and is well adjusted to it.



MARYNA SPROCKET

It forms an ideal pair with the JANOSIK metal shingle. A wind brace dedicated specially for this system protects the roofing against strong wind and ensures its leakproofness.



JANOSIK POWDER SKIRT

It is an element whose purpose in winter is to protect the safety of the residents and of the roof gutter system. It safeguards against sliding of snow and icicles down the roof onto the pavement or the garden by the house.

DEDICATED FITTINGS



**BLACHOTRAPEZ**[®]



34-700 Rabka-Zdroj | ul. Kilinskiego 49a | P: +48 18 26 85 200
biuro@blachotrapez.eu | www.gontjanosik.pl